

Listing of the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Claim 24 (Currently amended):** A wireless communication system, comprising:

a first wireless communication node having a first MAC layer element adapted to generate a request to transmit a particular data element, the request including a transmission bandwidth for the data element and a transmission priority for the data element, and a physical layer element operatively coupled to the first MAC layer element adapted to transmit the request; and

a second wireless communication node having a second physical layer element adapted to receive the request from the first wireless communication node and a second MAC layer element operatively coupled to the second physical layer element adapted to determine acceptance of the request based on the transmission bandwidth and schedule transmission of the data element based on the transmission priority.

**Claim 25 (Previously presented):** The wireless communication system of claim 24, wherein the transmission priority is encoded in an IEEE 802.1Q tag within the request.

**Claim 26 (Previously presented):** The wireless communication system of claim 24, wherein the transmission bandwidth is determined based on an examination of the data element.

Claim 27 (Previously presented): The wireless communication system of claim 24, wherein the second MAC layer element determines acceptance of the request and schedules transmission of the data element without resort to any network layer element.

Claim 28 (Previously presented): The wireless communication system of claim 24, wherein the first wireless communication node is an IEEE 802.11 peripheral system.

Claim 29 (Previously presented): The wireless communication system of claim 24, wherein the second wireless communication node is an IEEE 802.11 access point.

Claim 30 (Currently amended): A wireless communication node, comprising:  
a physical layer element adapted to receive a request to transmit a particular data element, the request including a transmission bandwidth for the data element and a transmission priority for the data element; and  
a MAC layer element operatively coupled to the physical layer element, the MAC layer element adapted to determine acceptance of the request based on the transmission bandwidth and schedule transmission of the data element based on the transmission priority.

Claim 31 (Previously presented): The wireless communication node of claim 30, wherein the transmission priority is encoded in an IEEE 802.1Q tag within the request.

Claim 32 (Previously presented): The wireless communication node of claim 30, wherein the MAC layer element determines acceptance of the request and schedules transmission of the data element without resort to any network layer element.

Claim 33 (Previously presented): The wireless communication node of claim 30, wherein the wireless communication node is an IEEE 802.11 access point.

Claim 34 (Currently amended): A first wireless communication node, comprising:

a first MAC layer element adapted to generate a request to transmit a particular data element, the request including a transmission bandwidth for the data element and a transmission priority for the data element; and

a physical layer element operatively coupled to the first MAC layer element and adapted to transmit the request to a second wireless communication node having a second MAC layer element adapted to determine acceptance of the request based on the transmission bandwidth and schedule transmission of the data element based on the transmission priority.

Claim 35 (Previously presented): The first wireless communication node of claim 34, wherein the first MAC layer element encodes the transmission priority in an IEEE 802.1Q tag within the request.

Claim 36 (Previously presented): The wireless communication node of claim 34, wherein the second MAC layer element determines acceptance of the request and schedules transmission of the data element without resort to any network layer element.

Claim 37 (Previously presented): The wireless communication node of claim 34, wherein the first wireless communication node is an IEEE 802.11 peripheral station.

Claim 38 (Previously presented): The wireless communication node of claim 34, wherein the second wireless communication node is an IEEE 802.11 access point.

Claim 39 (Previously presented): A method for wireless communication, comprising:  
receiving a request to transmit a data element, the request including a transmission bandwidth for the data element and a transmission priority for the data element encoded in an IEEE 802.1Q tag within the request; and  
determining acceptance of the request based on the transmission bandwidth and scheduling transmission of the data based on the transmission priority without resort to any network layer element.

Claim 40 (Previously presented): The method of claim 39, wherein the determining and scheduling steps are performed by a MAC layer element.

Claim 41 (Previously presented): The method of claim 39, wherein the method is performed by an IEEE 802.11 access point.